Ref H	Hits	Search Query	DBs	Default Operat or	Plura Is	Time Stamp
L1	0	((memor\$3 or storag\$3 or stor\$3 or buffer) and (computer or processor or CPU or PC or microprocessor or controller) and level near3 confidence and characteriz\$3 and (outout\$4 or display\$3 or monitor\$3) and process\$3 and performance).CLM.	US-PGPU B	OR	ON	2006/03/30 15:11

3/30/06 3:11:53 PM Page 1

Ref #	Hits	Search Query	DBs	Default Operat or	Plura Is	Time Stamp
L1	60500	((382/128,129,130,131, 132,133,134) or (600/407) or (422/50,51,52,53,54, 73) or (435/4,6,7.2,7.23, 40.5,40.51,41,70.1,70.4, 163,440,441,449) or (436/86,94,501) or (702/19,20,21,22)).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2006/03/30 15:15
L2	26815	1 and (computer or processor or microprocessor or controller or CPU)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:21
L3	25054	2 and (stor\$4 or memor\$4 or buffer or database)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:21
L4	24029	3 and (monitor\$3 or display\$3 or output\$3 or screen\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:17

L6	744	4 and (signal\$3 near4 characteriz\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:28
L7	744	6 and (calculat\$4 or comput\$4 or measur\$3 or evaluat\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:27
L8	29	7 and level near4 confidence	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:28
L9	1419	((calculat\$4 or comput\$4 or measur\$3 or evaluat\$4) near4 (level near4 confidence))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:30

L10	25	9 and (signal\$3 near4 characteriz\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:21
L11	22	10 and (computer or processor or microprocessor or controller or CPU)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:21
L12	18	11 and (stor\$4 or memor\$4 or buffer or database)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:21
L13	18	12 and (signal\$3 near4 characteriz\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:25

L14	4898	4 and (array43 or microarray\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:26
L15	13890	4 and (array\$3 or microarray\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:26
L16	0	("15and(gridorsubgridorsu b-grid)").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2006/03/30 15:27
L17	2557	15 and(grid or subgrid or sub-grid)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:29

L18	2417	17 and compar\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:27
L19	2414	18 and (calculat\$4 or comput\$4 or measur\$3 or evaluat\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:27
L20	133	19 and level near4 confidence	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:28
L21	5	20 and (signal\$3 near4 characteriz\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:30

L22	159	9 and(grid or subgrid or sub-grid)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:30
L23	4	22 and (signal\$3 near4 characteriz\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:29
L24	5047	((calculat\$4 or comput\$4 or measur\$3 or evaluat\$4) same (level near4 confidence))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:30
L25	116	24 and (signal\$3 near4 characteriz\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/03/30 15:30

T; IBM_TDB	L26	19	25 and(grid or subgrid or sub-grid)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T;	OR	ON	2006/03/30 15:31
------------	-----	----	--------------------------------------	---	----	----	---------------------



Home | Login | Legouf | Access information | Alc

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Your search	'((memory <and> processor <an matched 3 of 1332769 documents of 100 results are displayed, 25 to</an </and>	3.	nd> array*) <in>metadata)** by Relevance in Descending order.</in>	☑ e-mail
» Search Op	tions			
View Session	on History	Modify S	search	
New Search	1	((memor	y <and> processor <and> chemical <and> array*)<in> metadata)</in></and></and></and>	
		Ch	eck to search only within this results set	
» Key		Display	Format:	
ieee jnl	IEEE Journal or Magazine			
IEE JNL	IEE Journal or Magazine	view	selected items Select All Deselect All	•
ieee onf	IEEE Conference Proceeding	·		
IEE CNF	IEE Conference Proceeding		A fully operational 1 kb variable threshold Josephson RAM	
DEEE STO	IEEE Standard		Kurosawa, I.; Nakagawa, H.; Aoyagi, M.; Kosaka, S.; Takada, S.; Solid-State Circuits. IEEE Journal of	
			Volume 26, Issue 4, April 1991 Page(s):572 - 577	
			Digital Object Identifier 10.1109/4.75057	
			AbstractPlus Full Text: <u>PDF</u> (596 KB) IEEE JNL Rights and <u>Permissions</u>	
			2. Toward robust integrated circuits: The embryonics approach	
		1 i	Mange, D.; Sipper, M.; Stauffer, A.; Tempesti, G.;	
			Proceedings of the IEEE Volume 88, Issue 4, April 2000 Page(s):516 - 543	
			Digital Object Identifier 10.1109/5.842998	
			AbstractPlus References Full Text: PDF(4188 KB) IEEE JRL Rights and Permissions	
			3. Energy discrimination and counting electronics for Computer-Aided Radioactive	Particle Tra
			Wintenberg, A.L.; Clonts, L.G.;	
			Nuclear Science Symposium Conference Record, 2003 IEEE Volume 2, 19-25 Oct. 2003 Page(s):1228 - 1232 Vol.2	
			AbstractPlus Full Text: PDE(773 KB) ISSE CNF	
			Rights and Permissions	

Inspec

Help Contact Us Privac

& Copyright 2006 (E

© Copyright 2006 #E



#Inspec